

APPENDIX B:

2016 Integrated Report of Water Quality in Louisiana – Category 1 Addendum
Lists all impairments removed from the 2014 Integrated Report,

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA020904_001 | Shoreline and open water areas within 100 yards of bay shores and unnamed islands within Wilkinson Bay and Bay Chene Fleur. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA020907_001 | Shoreline of northern end of Bay Batiste, located along southwest side of LA020907_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA021001_001 | Shoreline of Bay La Mer and Chaland Pass, both located in southwest corner of subsegment LA021001_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA021101_001 | Shoreline of southwest Beauregard Island and Grand Terre Islands in Barataria Bay, both located in southwest area of LA021101_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA021101_002 | Shoreline and open water areas within 100 yards of shorelines near Bay Jimmy, Wilkinson Bayou, and Bay Batiste. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA021101_003 | Shoreline and seaward open water areas within 0.25 mile of Grand Terre East Island along Gulf of Mexico. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA021102_001 | Shoreline and seaward open water areas within 0.25 mile of Grand Terre West and Elmer's Islands along Gulf of Mexico. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | Chloride | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|-------------------------|--|---|
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | Fecal Coliform | New data shows attainment | 2016 |
| LA030201_00 | Calcasieu River-From Marsh Bayou to saltwater barrier (Scenic) | Sulfates | New data shows attainment | 2016 |
| LA030306_00 | Bayou Verdine--south of the Houston River Canal to the Calcasieu River (Estuarine) | DDT | New data shows attainment | 2016 |
| LA030306_00 | Bayou Verdine--south of the Houston River Canal to the Calcasieu River (Estuarine) | Methoxychlor | New data shows attainment | 2016 |
| LA030701_00 | Bayou Serpent | Fipronil | New data shows attainment | 2016 |
| LA040102_00 | Comite River-From Wilson-Clinton Highway to White Bayou (Scenic) | Fecal Coliform | New data shows attainment | 2016 |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | Chloride | New data shows attainment | 2016 |
| LA040303_00 | Amite River-From Amite River Diversion Canal to Lake Maurepas | Total Dissolved Solids | New data shows attainment | 2016 |
| LA040305_00 | Colyell Creek; includes tributaries and Colyell Bay | Fecal Coliform | New data shows attainment | 2016 |
| LA040401_00 | Blind River-Amite River Diversion Canal to mouth at Lake Maurepas (Scenic) | Temperature, Water | New data shows attainment | 2016 |
| LA040402_00 | Amite River Diversion Canal-From Amite River to Blind River | Chloride | New data shows attainment | 2016 |
| LA040503_00 | Natalbany River-From headwaters to Tickfaw River | Fecal Coliform | New data shows attainment | 2016 |
| LA040505_00 | Pontchatoula Creek and Ponchatoula River | Fecal Coliform | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|-------------------------|--|---|
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | Fecal Coliform | New data shows attainment | 2016 |
| LA040603_00 | Selsers Creek-From headwaters to Sisters Road | Lead | New data shows attainment | 2016 |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | Chloride | New data shows attainment | 2016 |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | Sulfates | New data shows attainment | 2016 |
| LA040702_00 | Tangipahoa River-From Interstate Highway 12 to Lake Pontchartrain | Total Dissolved Solids | New data shows attainment | 2016 |
| LA040703_00 | Big Creek-From headwaters to Tangipahoa River | Fecal Coliform | New data shows attainment | 2016 |
| LA040903_00 | Bayou Cane-From headwaters to US-190 (Scenic) | Sulfates | New data shows attainment | 2016 |
| LA040904_00 | Bayou Cane-From US-190 to Lake Pontchartrain (Scenic) (Estuarine) | Dissolved Oxygen | New data shows attainment | 2016 |
| LA040910_00 | Salt Bayou-From headwaters to Lake Pontchartrain (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA041101_00 | Bonnet Carre Spillway | Temperature, Water | New data shows attainment | 2016 |
| LA041202_00 | Bayou Trepagnier-From Norco to Bayou Labranche (Scenic) (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA041202_00 | Bayou Trepagnier-From Norco to Bayou Labranche (Scenic) (Estuarine) | Temperature, Water | New data shows attainment | 2016 |
| LA041302_00 | Lake Pontchartrain Drainage Canals in Jefferson and Orleans Parishes (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA042101_00 | Bayou Terre Aux Boeufs (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA042102_00 | River Aux Chenes; also called Oak River (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA042103_00 | Bayou Gentilly-From Bayou Terre Aux Boeufs to Petit Lake (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA042104_00 | Petit Lake | Fecal Coliform | New data shows attainment | 2016 |
| LA042201_001 | Shoreline of Comfort and unnamed islands. Includes Chandeleur Sound side of Chandeleur Islands, located within LA042201_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA042203_001 | Shoreline of unnamed islands between West Karako Bay and Chandeleur Sound, located along northeast edge of LA042203_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA042204_001 | Shoreline of unnamed islands south and north of Drum Bay, located along eastern edge of LA042204_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA042205_001 | Shoreline of Comfort Island, located along eastern edge of LA042205_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA042206_001 | Shoreline of Garden Island north of Mississippi River Gulf Outlet, located along southwest side of LA042206_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA042208_001 | Shoreline of Grise Bourbe Island, located in northern area of LA042208_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA042209_001 | Shoreline of Chandeleur Sound on Gulf side of islands, located along western side of LA042209_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | Carbofuran | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|-------------------------|--|---|
| LA050101_00 | Bayou Des Cannes-From headwaters to Mermentau River | Fipronil | New data shows attainment | 2016 |
| LA050201_00 | Bayou Plaquemine Brule-From headwaters to Bayou Des Cannes | Fipronil | New data shows attainment | 2016 |
| LA050401_00 | Mermentau River-From headwaters to Lake Arthur | Fipronil | New data shows attainment | 2016 |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | Chlorides | New data shows attainment | 2016 |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | Sulfates | New data shows attainment | 2016 |
| LA050402_00 | Lake Arthur and Lower Mermentau River to Grand Lake | Total Dissolved Solids | New data shows attainment | 2016 |
| LA050501_00 | Bayou Queue de Tortue-From headwaters to Mermentau River | Fipronil | New data shows attainment | 2016 |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | Chlorides | New data shows attainment | 2016 |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | Sulfates | New data shows attainment | 2016 |
| LA050601_00 | Lacassine Bayou-From headwaters to Grand Lake | Total Dissolved Solids | New data shows attainment | 2016 |
| LA050602_00 | Intracoastal Waterway-From Calcasieu River Basin Boundary to Mermentau River | Sulfates | New data shows attainment | 2016 |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | Fipronil | New data shows attainment | 2016 |
| LA050603_00 | Bayou Chene-From headwaters to Lacassine Bayou; includes Bayou Grand Marais | Sulfates | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|---|-------------------------|--|---|
| LA050701_00 | Grand Lake | Carbofuran | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Carbofuran | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Chlorides | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Fecal Coliform | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Sulfates | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Temperature, Water | New data shows attainment | 2016 |
| LA050702_00 | Intracoastal Waterway-From Mermentau River to Vermilion Locks | Total Dissolved Solids | New data shows attainment | 2016 |
| LA050703_00 | White Lake | Sulfates | New data shows attainment | 2016 |
| LA050901_00 | Mermentau River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Carbofuran | New data shows attainment | 2016 |
| LA050901_00 | Mermentau River Basin Coastal Bays and Gulf Waters to the State 3 mile limit | Turbidity | New data shows attainment | 2016 |
| LA060101_00 | Spring Creek-From headwaters to Cocodrie Lake (Scenic) | Sulfates | New data shows attainment | 2016 |
| LA060101_00 | Spring Creek-From headwaters to Cocodrie Lake (Scenic) | Turbidity | New data shows attainment | 2016 |
| LA060102_00 | Cocodrie Lake | pH, low | New data shows attainment | 2016 |
| LA060206_00 | Indian Creek and Indian Creek Reservoir | Sulfates | New data shows attainment | 2016 |
| LA060207_00 | Bayou des Glaises Diversion Channel/West Atchafalaya Borrow Pit Canal-From Bayou des Glaises to Bayou Courtableau | Carbofuran | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|---|-------------------------|--|---|
| LA060301_00 | Bayou Teche-From headwaters at Bayou Courtableau to Keystone Locks and Dam | Carbofuran | New data shows attainment | 2016 |
| LA060401_00 | Bayou Teche-From Keystone Locks and Dam to Charenton Canal | Carbofuran | New data shows attainment | 2016 |
| LA060701_00 | Tete Bayou | Carbofuran | New data shows attainment | 2016 |
| LA060801_00 | Vermilion River-From headwaters to LA-3073 bridge | Carbofuran | New data shows attainment | 2016 |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | Carbofuran | New data shows attainment | 2016 |
| LA060802_00 | Vermilion River-From LA-3073 bridge to ICWW | Total Dissolved Solids | New data shows attainment | 2016 |
| LA060803_00 | Vermilion River Cutoff-From ICWW to Vermilion Bay (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060901_00 | Bayou Petite Anse-From headwaters to Bayou Carlin (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060902_00 | Bayou Carlin-From Lake Peigneur to Bayou Petite Anse; also called Delcambre Canal (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060903_00 | Bayou Tigre-From headwaters to Bayou Petite Anse (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060904_00 | New Iberia Southern Drainage Canal-From headwaters to ICWW (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060906_00 | Intracoastal Waterway-From New Iberia Southern Drainage Canal to Bayou Sale (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA060907_00 | Franklin Canal | Carbofuran | New data shows attainment | 2016 |
| LA060910_00 | Boston Canal; includes associated canals (Estuarine) | Carbofuran | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|---|---|--|---|
| LA060910_00 | Boston Canal; includes associated canals (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA060911_00 | Dugas Canal-By Tiger Lagoon Oil and Gas Field (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA061101_00 | Bayou Petite Anse-From Bayou Carlin at its confluence with Bayou Tigre to ICWW (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA061102_00 | Intracoastal Waterway-From 1/2 mile west of Gum Island Canal to New Iberia Southern Drainage Canal (Estuarine) | Carbofuran | New data shows attainment | 2016 |
| LA061102_00 | Intracoastal Waterway-From 1/2 mile west of Gum Island Canal to New Iberia Southern Drainage Canal (Estuarine) | Fecal Coliform | New data shows attainment | 2016 |
| LA061201_00 | Vermilion-Teche River Basin Coastal Bays and Gulf Waters to the State three-mile limit | Fecal Coliform | New data shows attainment | 2016 |
| LA070401_001 | Shoreline of unnamed islands between North Pass and Pass a Loutre (Middle Ground), located on eastern side of LA070401_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA070601_001 | Shoreline of unnamed islands in East Bay, west of South Pass, located on south central side of LA070601_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | Fecal Coliform | New data shows attainment | 2016 |
| LA080501_00 | Bayou de L'Outre-From Arkansas state line to Ouachita River (Scenic) | Lead | New data shows attainment | 2016 |
| LA080603_00 | Bayou D'Arbonne-From Lake Claiborne to Bayou D'Arbonne Lake | Sulfates | New data shows attainment | 2016 |
| LA080606_00 | Cypress Creek-From headwaters to Bayou D'Arbonne; includes Colvin Creek | Lead | New data shows attainment | 2016 |
| LA080701_00 | Bayou Desiard and Lake Bartholomew; also called Dead Bayou | Temperature, Water | New data shows attainment | 2016 |
| LA080801_00 | Cheniere Creek-From headwaters to Cheniere Brake Lake | Lead | New data shows attainment | 2016 |
| LA080802_00 | Cheniere Brake Lake | pH, Low | New data shows attainment | 2016 |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | Carbofuran | New data shows attainment | 2016 |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | DDT | New data shows attainment | 2016 |
| LA080901_00 | Boeuf River-From Arkansas state line to Ouachita River | Toxaphene | New data shows attainment | 2016 |
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | Carbofuran | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|-------------------------|--|---|
| LA080903_00 | Big Creek-From headwaters to Boeuf River; includes Big Colewa Bayou | DDT | New data shows attainment | 2016 |
| LA080910_00 | Clear Lake | Turbidity | New data shows attainment | 2016 |
| LA081001_00 | Bayou Macon-From Arkansas state line to Tensas River | DDT | New data shows attainment | 2016 |
| LA081002_00 | Joe's Bayou-From headwaters to Bayou Macon | Carbofuran | New data shows attainment | 2016 |
| LA081002_00 | Joe's Bayou-From headwaters to Bayou Macon | DDT | New data shows attainment | 2016 |
| LA081201_00 | Tensas River-From headwaters to Jonesville; includes Tensas Bayou | Carbofuran | New data shows attainment | 2016 |
| LA081201_00 | Tensas River-From headwaters to Jonesville; includes Tensas Bayou | DDT | New data shows attainment | 2016 |
| LA081201_00 | Tensas River-From headwaters to Jonesville; includes Tensas Bayou | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA081201_00 | Tensas River-From headwaters to Jonesville; includes Tensas Bayou | Toxaphene | New data shows attainment | 2016 |
| LA081202_00 | Lake St. Joseph | Turbidity | New data shows attainment | 2016 |
| LA100101_00 | Red River-From Arkansas state line to US-165 in Alexandria | Fecal Coliform | New data shows attainment | 2016 |
| LA100401_00 | Bayou Bodcau-From Arkansas state line to Red Chute Bayou at Cypress Bayou confluence | Lead | New data shows attainment | 2016 |
| LA100403_00 | Cypress Bayou-From headwaters to Cypress Bayou Reservoir | Lead | New data shows attainment | 2016 |
| LA100506_00 | Loggy Bayou-From Flat River to Red River | Temperature, Water | New data shows attainment | 2016 |
| LA100602_00 | Boggy Bayou-From headwaters to Wallace Lake | Turbidity | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|--|--|---|
| LA100701_00 | Black Lake Bayou-From headwaters to 1 mile north of confluence with Leatherman Creek | Fecal Coliform | New data shows attainment | 2016 |
| LA100701_00 | Black Lake Bayou-From headwaters to 1 mile north of confluence with Leatherman Creek | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA100701_00 | Black Lake Bayou-From headwaters to 1 mile north of confluence with Leatherman Creek | Turbidity | New data shows attainment | 2016 |
| LA100703_00 | Black Lake and Clear Lake | Sulfates | New data shows attainment | 2016 |
| LA100705_00 | Kepler Lake | pH, Low | New data shows attainment | 2016 |
| LA100801_00 | Saline Bayou-From headwaters near Arcadia to Saline Lake (Scenic) | Nitrate/Nitrite [Nitrite + Nitrate as N] | New data shows attainment | 2016 |
| LA100801_00 | Saline Bayou-From headwaters near Arcadia to Saline Lake (Scenic) | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA100801_00 | Saline Bayou-From headwaters near Arcadia to Saline Lake (Scenic) | Phosphorus [Total] | New data shows attainment | 2016 |
| LA100803_00 | Saline Bayou-From Saline Lake to Red River | Fecal Coliform | New data shows attainment | 2016 |
| LA100902_00 | Nantaches Lake | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA100903_00 | Bayou Nantaches-From Nantaches Lake to Red River | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA101504_00 | Saline Bayou-From Larto Lake to Saline Lake (Scenic) | pH, High | New data shows attainment | 2016 |
| LA101505_00 | Larto Lake | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA101505_00 | Larto Lake | Sulfates | New data shows attainment | 2016 |
| LA101505_00 | Larto Lake | Total Dissolved Solids | New data shows attainment | 2016 |
| LA101505_00 | Larto Lake | Turbidity | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|-------------------------|--|---|
| LA101506_00 | Big Creek-From headwaters to Saline Lake | Lead | New data shows attainment | 2016 |
| LA101603_00 | Lake St. John | pH, High | New data shows attainment | 2016 |
| LA101604_00 | Lake Concordia | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA101605_00 | Bayou Cocodrie-From Lake Concordia to LA-15 | Fecal Coliform | New data shows attainment | 2016 |
| LA110401_00 | Bayou Toro-From headwaters to LA-473 | Oxygen, Dissolved | New data shows attainment | 2016 |
| LA110505_00 | Anacoco Lake | Turbidity | New data shows attainment | 2016 |
| LA110701_001 | Constance Beach Complex-Located within subsegment LA110701_00. This unit is added for advisory tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et. seq. No other assessment is made for this waterbody. | Enterococcus | New data shows attainment | 2016 |
| LA120205_00 | Lake Palourde | pH, High | New data shows attainment | 2016 |
| LA120205_00 | Lake Palourde | Turbidity | New data shows attainment | 2016 |
| LA120303_00 | Lake Long | Turbidity | New data shows attainment | 2016 |
| LA120406_00 | Lake de Cade | Fecal Coliform | New data shows attainment | 2016 |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | Chloride | New data shows attainment | 2016 |
| LA120501_00 | Bayou Grand Caillou-From Houma to Bayou Pelton | Total Dissolved Solids | New data shows attainment | 2016 |
| LA120508_00 | Houma Navigation Canal - Bayou Pelton to Segs 1205 & 1207 | Oxygen, Dissolved | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|--|---|--|---|
| LA120704_001 | Shoreline of unnamed islands and marshes north of Bayou Bourbeaux and Oyster Bayou, located at southern end of LA120704_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120706_001 | Shoreline of unnamed islands in northern end of Lake Raccourci and Deep Lake, located in southern area of LA120706_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120708_00 | Lost Lake and Four League Bay | Fecal Coliform | New data shows attainment | 2016 |
| LA120708_001 | Approximately 2.6 miles portion of Gulf shore east of Oyster Bayou in southeast corner of LA120708_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120801_001 | Shoreline of Raccoon Island and Isles Derniers, located on southern edge of LA120801_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |

| Subsegment Code | Waterbody Description | Suspected Causes | Comments on Reason for Assessment | IR Cycle Year Attaining Full Support |
|------------------------|---|---|--|---|
| LA120802_001 | Gulf side shoreline of Timbalier Island, located in southeast area of LA120802_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120803_001 | Shoreline of Timbalier Island, Caillou Island, Calumet Island and Casse Tette Island, located in southern area of LA120803_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120805_001 | Shoreline of Trinity Island and East Island in Isle Dernier chain, located in southern area of LA120805_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |
| LA120806_001 | Gulf side shoreline of Timbalier Islands, located in northern area of LA120806_00. This unit is added for spill impact tracking purposes only and is not a subsegment as defined by LAC 33:IX.1123.A. et seq. | Residual Surface and Sub-surface Oil/Tar Balls/Tar Mats | New data shows attainment | 2016 |